

uebungsblatt6

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents

Exercise 4.2.1 Determination of the transmission behavior of the differential amplifier	3
Exercise 4.4.1 Transmission resistance of the current-voltage converter	4
Exercise 4.5.1 Transfer steepness of the voltage-current transformer	5
Exercise 4.5.2 Earth-related load	6

Übungsblatt 6

Bitte laden Sie das aufgefüllte PDF in ILIAS hoch.

Details, Tipps und Tools zum Ausfüllen und Einfügen von Bildern finden Sie unter:

[Tools für Lehr/Lern-Veranstaltungen](#)

Name	Vorname	Matrikelnummer
\$\\quad\\quad\\quad\\quad\\quad\\quad\\quad\$	\$\\quad\\quad\\quad\\quad\\quad\\quad\\quad\$	\$\\quad\\quad\\quad\\quad\\quad\\quad\\quad\$

Exercise 4.2.1 Determination of the transmission behavior of the differential amplifier

In the following, the transfer function of the differential amplifier is to be calculated. To do this, you should follow a few steps.

1. Derive the function $U_O = f(U_{I1}, U_{I2})$ using superposition.
 1. To do this, first draw an equivalent circuit in each case.
 2. Briefly describe the resulting circuit. Which amplification circuit results in each case?
 3. Then calculate the voltages U_{O1} and U_{O2} , and from them U_O .
2. Determine the function $U_O = f(U_{I1}, U_{I2})$ or the resistance values of the circuit shown.

Exercise 4.4.1 Transmission resistance of the current-voltage converter

Derive the gain for the current-voltage converter, i.e. the transmission resistance. Use the procedure that we used for the other amplifiers.

1. Draw a circuit with the relevant voltages, currents, resistances and the operational amplifier
2. What are you looking for?
3. What is the number of variables
4. What is the number of equations required?
5. Establishing the known equations.
6. Derivation of the transmission resistance.

Exercise 4.5.1 Transfer steepness of the voltage-current transformer

Here, too, derive the amplification for the voltage-to-current converter, i.e. the rate of transfer. Use the same procedure that we used for the other amplifiers.

1. Draw a circuit with the relevant voltages, currents, resistances and the operational amplifier.
2. What are you looking for?
3. What is the number of variables?
4. What is the number of necessary equations?
5. Establishing the known equations.
6. Derivation of the slope.

Exercise 4.5.2 Earth-related load



If the voltage-current converter is used as a current source, it must be ensured that the load has no contact with ground.

1. Draw the voltage-to-current transformer with a load that is in contact with ground.
2. Why is in this case the slope derived above no longer valid as a amplification factor?
3. Will the output current be higher or lower in this case?

From:

<https://wiki.mexle.org/> - MEXLE Wiki

Permanent link:

https://wiki.mexle.org/circuit_design/uebungsblatt6?rev=1639050167

Last update: **2021/12/09 12:42**

