

calc_logic_example

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents

example for a simplification with the rule for boolean algebra

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a}$$

example for a simplification with the rule for boolean algebra

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a}$$

example for a simplification with the rule for boolean algebra

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a}$$

example for a simplification with the rule for boolean algebra

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a}$$

example for a simplification with the rule for boolean algebra

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a}$$

example for a simplification with the rule for boolean algebra

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a}$$

example for a simplification with the rule for boolean algebra

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a}$$

example for a simplification with the rule for boolean algebra

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a}$$

