

# Inverting Operational Amplifier

## Student Group

First Name	Surname	Matrikel Nr.

## Table of Contents

Inverting Operational Amplifier ..... 2  
Gain of Op-Amp ..... 2  
Investigation of inverting input ..... 3

# Inverting Operational Amplifier

## Gain of Op-Amp

Build the following circuit in [figure 1](#) with the power supply and a multimeter.



Fig. 1: Inverting Op-Amp

$$U_{DD} = 10\text{ V}, U_{SS} = -10\text{ V}, R_1 = 10\text{ k}\Omega$$

Calculate the necessary value for  $R_2$ , so that the Output  $U_{OUT}$  is +5 V. Use the supply voltage of the operational amplifier for  $U_{IN}$ .

$$U_{IN} =$$

$$R_2$$

### Investigation of inverting input



Fig. 2: Inverting Op-Amp: Investigate inverting input

$$U_{DD} = 10\text{V}, U_{SS} = -10\text{V}, R_1 = 10\text{k}\Omega$$

For  $U_{IN}, U_{OUT}, R_2$  use the values from [figure 1](#).

Complete the arrows in the schematic of the circuit.  
 Determine the currents  $I_1$  and  $I_2$  indirectly through a voltage measurement.  
 Calculate the sum of the currents at  $\text{Node}_1$ .

$$I_{\text{1}} \approx I_{\text{2}}$$
$$I_{\text{2}} \approx I_{\text{3}}$$
$$I_{\text{3}} \approx I_{\text{4}}$$

- Virt masse messen
- r2 kurzschluss

From:

<https://wiki.mexle.org/> - MEXLE Wiki

Permanent link:

[https://wiki.mexle.org/lab05\\_en/inverting\\_op-amp\\_basics\\_amplification?rev=1775056431](https://wiki.mexle.org/lab05_en/inverting_op-amp_basics_amplification?rev=1775056431)

Last update: **2026/04/01 17:13**

