

# Inverting Operational Amplifier

## Student Group

First Name	Surname	Matrikel Nr.

## Table of Contents

Inverting Operational Amplifier ..... 2  
Gain of Op-Amp ..... 2  
Investigation of inverting input ..... 3

## Inverting Operational Amplifier

### Gain of Op-Amp

Build the following circuit in [figure 1](#) with the power supply and a multimeter.



Fig. 1: Inverting Op-Amp

$U_{DD} = 10\text{ V}$ ,  $U_{SS} = -10\text{ V}$ ,  $R_1 = 10\text{ k}\Omega$

Calculate the necessary value for  $R_2$ , so that the Output  $U_{OUT}$  is +5 V. Use the supply voltage of the operational amplifier for  $U_{IN}$ .

$U_{IN} =$

$R_2$

### Investigation of inverting input



Fig. 2: Inverting Op-Amp: Investigate inverting input

$U_{DD} = 10\text{V}$ ,  $U_{SS} = -10\text{V}$ ,  $R_1 = 10\text{k}\Omega$

For  $U_{IN}$ ,  $U_{OUT}$ ,  $R_2$  use the values from [figure 1](#).

Complete the arrows in the schematic of the circuit.  
 Determine the the currents  $I_1$  and  $I_2$  indirectly through a voltage measurement.  
 Calculate the sum of the currents at node  $N_{12}$ .

$I_{\text{1}} \approx I_{\text{2}}$

$I_{\text{2}} \approx I_{\text{3}}$

$I_{\text{Sigma N12}} \approx I_{\text{3}}$

- Virt masse messen
- r2 kurzschluss

From:

<https://wiki.mexle.org/> - MEXLE Wiki

Permanent link:

[https://wiki.mexle.org/lab05\\_en/inverting\\_op-amp\\_basics\\_amplification?rev=1775057362](https://wiki.mexle.org/lab05_en/inverting_op-amp_basics_amplification?rev=1775057362)

Last update: **2026/04/01 17:29**

