

# Photodiode as current source

## Student Group

First Name	Surname	Matrikel Nr.

## Table of Contents

Photo Diode as current source ..... 2

### Photo Diode as current source




Fig. 3: Inverting Op-Amp: Photo Diode as current source



Fig. 4: Inverting Op-Amp: Photo Diode as current source

$$U_{DD} \approx 10\text{V}, U_{SS} \approx -10\text{V}$$

Complete the arrows in the schematic of the circuit.

Take the values for  $U_1, U_2, U_{OUT}$  from figure ##.

Use these values to calculate the sum of the voltages at node  $N_{12}$ .

Compare your result by measurement.

$$U_1 \approx$$

$$U_2 \approx$$

$$U_{OUT} \approx$$

$$\text{Calculated } U_{N_{12}} \approx$$

$$\text{Measured } U_{N_{12}} \approx$$

What are your results?

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

What will happen if you short-circuit  $R_2$ ?  
Try it and explain your results.

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

$\{\rm \dots\}$

From:  
<https://wiki.mexle.org/> - **MEXLE Wiki**

Permanent link:  
[https://wiki.mexle.org/lab05\\_en/inverting\\_op-amp\\_photo\\_diode\\_as\\_current\\_source?rev=1776412402](https://wiki.mexle.org/lab05_en/inverting_op-amp_photo_diode_as_current_source?rev=1776412402)

Last update: **2026/04/17 09:53**

